

1.

STANDARD OFFERING

Partnering with international textile house Kvadrat Maharam, our goal is to offer upholstery options that are well crafted, versatile and sustainably designed. Our Standard Offering is a curated collection of select fabric styles and colours, upholstered across our range, offering the best price and production times.

2.

EXTENDED OFFERING

If our Standard Offering is not suitable for your project, we also offer an Extended range upon specification. This offering includes all the colours within a wider selection Kvadrat Maharam upholstery collections. A set-up fee may be incur and lead times may vary.

3


CUSTOMERS OWN MATERIAL (COM)

If you would like to specify your own material, that's totally fine. Please contact us by email at trade@designbythem.com.



LOUNGES & SOFAS

If our Standard Offering is not suitable for your project, please see our Extended Offering.



KEY

OFFERED AS A STANDARD FABRIC FOR THIS DBT COLLECTION

SEAT PADS

STANDARD OFFERING

SEAT PADS - BOBBY COLLECTION


If our Standard Offering is not suitable for your project, please see our Extended Offering.


POWDER COAT / TIMBER

Aluminium / Solid Oak or Ash















100% Recycled Polyester
















100% Non-phthalate Vinyl Outdoor Suitable on Aluminium













SEAT PADS - TWILL COLLECTION


If our Standard Offering is not suitable for your project, please see our Extended Offering.

POWDER COAT / TIMBER

Aluminium / Solid Ash











KVADRAT ZERO


65% Cotton, 20% Polyacrylic, 15% Polyester













MAHARAM MERIT

100% Recycled Polyester











KNOLL PRAIRIE

100% Non-phthalate Vinyl Outdoor Suitable on Aluminium













SEAT PADS - THEM COLLECTION

If our Standard Offering is not suitable for your project, please see our Extended Offering.


POWDER COAT / TIMBER

Aluminium / Solid Ash















65% Cotton, 20% Polyacrylic, 15% Polyester














MAHARAM MERIT

100% Recycled Polyester













100% Non-phthalate Vinyl Outdoor Suitable on Aluminium













SEAT PADS - PIPER COLLECTION

If our Standard Offering is not suitable for your project, please see our Extended Offering.


POWDER COAT / TIMBER

Stainless Steel
















100% Recycled Polyester













KNOLL PRAIRIE

100% Non-phthalate Vinyl Outdoor Suitable on Stainless Steel


















Extended House Fabrics 1 - HF1	
Kvadrat - Autumn	11
Maharam - Metaphor	12
Mahharam - Method	15
Kvadrat - TelaMia	17
Extended House Fabrics 2 - HF2	
Maharam - Messenger	18
Maharam - Mode	21
Maharam - Merit	26
Kvadrat - Sport	28
Knoll - Prairie	31
Extended House Fabrics 3 - HF3	
Kvadrat - Patio (Outdoor)	33
Maharam - Nico	37
Kvadrat - Hero Heather	39
	41
Extended House Fabrics 4 - HF4	
Kvadrat - Canvas 2	43
Kvadrat - Remix	46
Kvadrat - Re-wool	50
Kvadrat - Suunta	52
Extended House Fabrics 5 - HF5	
Kvadrat Febrik - Planum	53
Kvadrat - Steelcut Trio 3	55
Kvadrat Sahco - Zero	58
Kvadrat Sahco - Elle	59
Kvadrat - Sisu	60
Kvadrat Sahco - Safire	61
Extended House Fabrics 6 - HF6	
Kvadrat - Mosaic	62
Kvadrat - Phlox	63
Extended House Fabrics 7 - HF7	
Maharam - Hearth	64
Kvadrat - Coda 2	65
Kvadrat Febrik - Gentle 2	66

HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - AUTUMN

Content: 100% recycled polyester

Abrasion: Min. 50.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 6-7 ISO

105-B02


Country of Origin: Turkey

Environmental:
REACH compliant
Californian Proposition 65 list
compliant
LBC Red list compliant
Healthier Hospitals compliant
No content of PFCs or 'PFAS'
Mono-material designed for
circularity
Recyclable






























HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - METAPHOR

Content: 100% polyester

Abrasion: ASTM D4157, 100,000 double rubs Wyzenbeek

Lightfastness: AATCC 16.3, 40+

hours

Country of Origin: China

Environmental:
Greenguard Gold Certified
Healthier Hospitals Compliant
LBC Red List Free REACH
Compliant FR Free Free of
Intentionally Added PFAS






































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - METAPHOR

Content: 100% polyester

Abrasion: ASTM D4157, 100,000 double rubs Wyzenbeek

Lightfastness: AATCC 16.3, 40+

hours

Country of Origin: China

Environmental:
Greenguard Gold Certified
Healthier Hospitals Compliant
LBC Red List Free REACH
Compliant FR Free Free of
Intentionally Added PFAS





































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - METAPHOR

Content: 100% polyester

Abrasion: ASTM D4157, 100,000 double rubs Wyzenbeek

Lightfastness: AATCC 16.3, 40+

hours

Country of Origin: China

Environmental:
Greenguard Gold Certified
Healthier Hospitals Compliant
LBC Red List Free REACH
Compliant FR Free Free of
Intentionally Added PFAS



















HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - METHOD

Content: 88% Seaqual (79% Post-Consumer Recycled Polyester, 9% Upcycled Marine Plastic), 12% Post-Consumer Recycled Polyester

Application: Seating, Systems, Upholstered Walls

Abrasion: ASTM D4157, 100,000 Double Rubs

Lightfastness: AATCC 16.3, 40+ hours

Finish: None

Backing: None

Maintenance: W/S/B-Clean with water-based cleanser; mild, water-free dry cleaning solvent, or diluted household bleach.

Country of Origin: USA

Environmental:
Greenguard Gold Certified
LBC Red List Free
REACH Compliant
Contains Recycled Content
FR Free
Free of Intentionally Added
PFAS





































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - METHOD

Content: 88% Seaqual (79% Post-Consumer Recycled Polyester, 9% Upcycled Marine Plastic), 12% Post-Consumer Recycled Polyester

Application: Seating, Systems, Upholstered Walls

Abrasion: ASTM D4157, 100,000 Double Rubs

Lightfastness: AATCC 16.3, 40+ hours

Finish: None

Backing: None

Maintenance: W/S/B-Clean with water-based cleanser; mild, water-free dry cleaning solvent, or diluted household bleach.

Country of Origin: USA

Environmental:
Greenguard Gold Certified
LBC Red List Free
REACH Compliant
Contains Recycled Content
FR Free
Free of Intentionally Added
PFAS

















HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT – TELAMIA

Content: 100% Recycled

Polyester

Application: Upholstery, Panel

fabrics

Abrasion: 100,000 Martindale

Lightfastness: ISO 105-B02

Finish: None

Backing: None


Maintenance: : Vacuum clean frequently, ideally weekly if fixed covers. Remove stains as soon as they occur, with clean warm water or sparkling water. Washable at 60°C, half wash load. Drip drying. Mount in moist condition.

Shrinkage app. 1% at 60°C

Country of Origin: Turkey

Environmental:
EU Ecolabel compliant
Recycled content
Free of intentionally added PFAS
Mono-material designed for
circularity
REACH compliant
Californian Proposition 65 list
compliant
LBC Red list compliant
Healthier Hospitals compliant






































MAHARAM - MESSENGER

Content: 78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon

Application: Indoor upholstery

Abrasion: 100,000 double rubs

Wyzenbeek

Lightfastness: AATCC 16E, 40+

hours

Finish: Stain Repellent

Backing: None

Maintenance: W/S-Clean with water-based cleanser or mild, water-free dry cleaning solvent.

Country of Origin: USA

Environmental:
Greenguard and Greenguard
Gold Certified
Contains Recycled Content
FR Free
REACH Compliant






































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - MESSENGER

Content: 78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon

Application: Indoor upholstery

Abrasion: 100,000 double rubs

Wyzenbeek

Lightfastness: AATCC 16E, 40+

hours

Finish: Stain Repellent

Backing: None

Maintenance: W/S-Clean with water-based cleanser or mild, water-free dry cleaning solvent.

Country of Origin: USA

Environmental:
Greenguard and Greenguard
Gold Certified
Contains Recycled Content
FR Free
REACH Compliant





































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - MESSENGER

Content: 78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon

Application: Indoor upholstery

Abrasion: 100,000 double rubs

Wyzenbeek

Lightfastness: AATCC 16E, 40+

hours

Finish: Stain Repellent

Backing: None

Maintenance: W/S-Clean with water-based cleanser or mild, water-free dry cleaning solvent.

Country of Origin: USA

Environmental:
Greenguard and Greenguard
Gold Certified
Contains Recycled Content
FR Free
REACH Compliant
























HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - MODE

Content: 80% Post-Consumer Recycled Polyester, 20% Polyester

Application: Indoor upholstery

Abrasion: 100,000 double rubs

Wyzenbeek

Lightfastness: AATCC 16E, 40+

hours

Finish: Stain Repellent

Backing: None

Maintenance: W/S-Clean with water-based cleanser or mild, water-free dry cleaning solvent.

Country of Origin: USA





































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - MODE

Content: 80% Post-Consumer Recycled Polyester, 20% Polyester

Application: Indoor upholstery

Abrasion: 100,000 double rubs

Wyzenbeek

Lightfastness: AATCC 16E, 40+

hours

Finish: Stain Repellent

Backing: None

Maintenance: W/S-Clean with water-based cleanser or mild, water-free dry cleaning solvent.

Country of Origin: USA





































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - MODE

Content: 80% Post-Consumer Recycled Polyester, 20% Polyester

Application: Indoor upholstery

Abrasion: 100,000 double rubs

Wyzenbeek

Lightfastness: AATCC 16E, 40+

hours

Finish: Stain Repellent

Backing: None

Maintenance: W/S-Clean with water-based cleanser or mild, water-free dry cleaning solvent.

Country of Origin: USA





































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - MODE

Content: 80% Post-Consumer Recycled Polyester, 20% Polyester

Application: Indoor upholstery

Abrasion: 100,000 double rubs

Wyzenbeek

Lightfastness: AATCC 16E, 40+

hours


Finish: Stain Repellent

Backing: None

Maintenance: W/S-Clean with water-based cleanser or mild, water-free dry cleaning solvent.

Country of Origin: USA















HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - MERIT

Content: 76% Post-Consumer Recycled Polyester, 24% Polyester

Application: Indoor upholstery

Abrasion: 100,000 double rubs

Wyzenbeek

Lightfastness: AATCC 16E, 40+

hours

Finish: Stain Repellent

Maintenance: Vacuuming and dry cleaning if fixed covers.

W/S-Clean with water-based cleanser or mild, water-free dry cleaning solvent.

Country of Origin: USA







































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - MERIT

Content: 76% Post-Consumer Recycled Polyester, 24% Polyester

Application: Indoor upholstery

Abrasion: 100,000 double rubs Wyzenbeek

•

Lightfastness: AATCC 16E, 40+

hours

Finish: Stain Repellent

Maintenance: Vacuuming and dry cleaning if fixed covers.

W/S-Clean with water-based cleanser or mild, water-free dry cleaning solvent.

Country of Origin: USA







































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - MERIT

Content: 76% Post-Consumer Recycled Polyester, 24% Polyester

Application: Indoor upholstery

Abrasion: 100,000 double rubs

Wyzenbeek

Lightfastness: AATCC 16E, 40+

hours

Finish: Stain Repellent

Maintenance: Vacuuming and dry cleaning if fixed covers.

W/S-Clean with water-based cleanser or mild, water-free dry cleaning solvent.

Country of Origin: USA















HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - SPORT

Content: 100% ocean bound polyester

Abrasion: Approx. 40.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 6-7 ISO 105-B02

Country of Origin: Holland

Environmental:
Recycled content
Follow the EU Ecolabel dye
restrictions incl. AZO dye
and heavy metal restrictions
REACH compliant
Californian Proposition 65 list
compliant
LBC Red list compliant
Healthier Hospitals compliant
Mono-material designed for
circularity
Recyclable







































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - SPORT

Content: 100% ocean bound polyester

Abrasion: Approx. 40.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 6-7 ISO 105-B02

Country of Origin: Holland

Environmental:
Recycled content
Follow the EU Ecolabel dye
restrictions incl. AZO dye
and heavy metal restrictions
REACH compliant
Californian Proposition 65 list
compliant
LBC Red list compliant
Healthier Hospitals compliant
Mono-material designed for
circularity
Recyclable





KNOLL - PRAIRIE

Content: 100% Non-Phthalate Vinyl

Application: Seating, Outdoor Seating

Abrasion: ASTM D4157, 500,000 double rubs Wyzenbeek

Lightfastness: AATCC 16.3, 1,000+ hours


Maintenance: W/S/B-Clean with water-based cleanser; mild, water-free dry cleaning solvent, or diluted household bleach.


Country of Origin: Taiwan








































KNOLL - PRAIRIE

Content: 100% Non-Phthalate Vinyl

Application: Seating, Outdoor Seating

Abrasion: ASTM D4157, 500,000 double rubs Wyzenbeek

Lightfastness: AATCC 16.3, 1,000+ hours

Maintenance: W/S/B-Clean with water-based cleanser; mild, water-free dry cleaning solvent, or diluted household bleach.

Country of Origin: Taiwan





































KNOLL - PRAIRIE

Content: 100% Non-Phthalate Vinyl

Application: Seating, Outdoor Seating

Abrasion: ASTM D4157, 500,000 double rubs Wyzenbeek

Lightfastness: AATCC 16.3, 1,000+ hours

Maintenance: W/S/B-Clean with water-based cleanser; mild, water-free dry cleaning solvent, or diluted household bleach.

Country of Origin: Taiwan






































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KNOLL - PRAIRIE

Content: 100% Non-Phthalate Vinyl

Application: Seating, Outdoor Seating

Abrasion: ASTM D4157, 500,000 double rubs Wyzenbeek


Lightfastness: AATCC 16.3, 1,000+ hours

Maintenance: W/S/B-Clean with water-based cleanser; mild, water-free dry cleaning solvent, or diluted household bleach.

Country of Origin: Taiwan









HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - PATIO

Outdoor Fabric - Woven

Content: 100% Trevira CS, water repellent

Application: Indoor/outdoor

upholstery

Durability: 50,000 Martindale

Lightfastness: 7

Pilling: 4-5 (ISO 1-5)

Maintenance: Vacuuming. Drip drying. Shrinkage app. 1%. Mount in moist condition. Mildew growth is not promoted by the textile but mildew may grow on dirt and other foreign substances if not removed. Keep the textile dry to avoid mildew spores to stick.

Country of Origin: Holland

Sustainability: Greenguard Gold HPD

EPD






































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - PATIO

Outdoor Fabric - Woven

Content: 100% Trevira CS, water repellent

Application: Indoor/outdoor

upholstery

Durability: 50,000 Martindale

Lightfastness: 7

Pilling: 4-5 (ISO 1-5)

Maintenance: Vacuuming.
Drip drying. Shrinkage app.
1%. Mount in moist condition.
Mildew growth is not promoted
by the textile but mildew may
grow on dirt and other foreign
substances if not
removed. Keep the textile dry
to avoid mildew spores to stick.


Country of Origin: Netherlands

Sustainability: Greenguard Gold HPD EPD













HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - NICO

Content: 63% Wool, 21% Polyester, 16% Nylon

Application: Upholstered Walls, Seating

Abrasion: ASTM D4966, 100,000 cycles Martindale

Lightfastness: AATCC 16.3, 40+

hours

Finish: None

Backing: None

Country of Origin: Mexico

Environmental:
Greenguard Gold Certified
LBC Red List Free
REACH Compliant
Contains Bio-Based Content
FR Free
Free of Intentionally Added
PFAS





































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - NICO

Content: 63% Wool, 21% Polyester, 16% Nylon

Application: Upholstered Walls, Seating

Abrasion: ASTM D4966, 100,000 cycles Martindale

Lightfastness: AATCC 16.3, 40+


hours

Finish: None

Backing: None

Country of Origin: Mexico

Environmental:
Greenguard Gold Certified
LBC Red List Free
REACH Compliant
Contains Bio-Based Content
FR Free
Free of Intentionally Added
PFAS



































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT -HERO HEATHER

Content: 97% new wool, 3% recycled nylon


Abrasion: Approx. 45.000 Martindale rubs, EN ISO 12947


Lightfastness: Note 6 ISO 105-B02

Country of Origin: UK


Environmental:
EU Ecolabel compliant
REACH compliant
Californian Proposition 65 list
compliant
LBC Red list compliant
Healthier Hospitals compliant
No content of PFCs or 'PFAS'






































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT -HERO HEATHER

Content: 97% new wool, 3% recycled nylon

Abrasion: Approx. 45.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 6 ISO 105-B02

Country of Origin: UK

Environmental:
EU Ecolabel compliant
REACH compliant
Californian Proposition 65 list
compliant
LBC Red list compliant
Healthier Hospitals compliant
No content of PFCs or 'PFAS'
















HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - CANVAS 2

Content: 90% new wool worsted, 10% nylon

Application: Indoor/outdoor upholstery

Durability: 100,000 Martindale

Lightfastness: 5-6

Pilling: 4(ISO 1-5)

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: United Kingdom

Sustainability: EU Ecolabel Greenguard Gold HPD EPD






































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - CANVAS 2

Content: 90% new wool worsted, 10% nylon

Application: Indoor/outdoor upholstery

Durability: 100,000 Martindale

Lightfastness: 5-6

Pilling: 4(ISO 1-5)

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: United Kingdom

Sustainability: EU Ecolabel Greenguard Gold HPD EPD





































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - CANVAS 2

Content: 90% new wool worsted, 10% nylon

Application: Indoor/outdoor upholstery

Durability: 100,000 Martindale

Lightfastness: 5-6

Pilling: 4(ISO 1-5)

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: United Kingdom

Sustainability: EU Ecolabel Greenguard Gold HPD EPD



















HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - REMIX 3

Content: 90% new wool, 10% nylon

Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 5-7 ISO 105-B02

Pilling: Note 4, EN ISO 1294

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: UK





































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - REMIX 3

Content: 90% new wool, 10% nylon

Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 5-7 ISO 105-B02

Pilling: Note 4, EN ISO 1294

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: UK

Environment:
EU Ecolabel compliant
No content of PFCs or 'PFAS'
REACH compliant
Californian Proposition 65 list
compliant
LBC Red list compliant

Healthier Hospitals compliant








































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - REMIX 3

Content: 90% new wool, 10% nylon

Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 5-7 ISO 105-B02

Pilling: Note 4, EN ISO 1294

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: UK







































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - REMIX 3

Content: 90% new wool, 10% nylon


Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 5-7 ISO 105-B02

Pilling: Note 4, EN ISO 1294

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: UK






































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - REWOOL

Content: 45% recycled wool 45% new wool, worsted 10% nylon


Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947


Lightfastness: Note 6-7 ISO 105-B02

Pilling: Note 4, EN ISO 12945


Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: UK






































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - REWOOL

Content: 45% recycled wool 45% new wool, worsted 10% nylon

Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 6-7 ISO 105-B02

Pilling: Note 4, EN ISO 12945

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: UK







HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - SUUNTA

Content: 35% new wool, 11% nylon, 54% recycled polyester

Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 6-7, ISO

105-B02

Pilling: Note 4-5, EN ISO 12945

Maintenance: Vacuuming gently. Washable at 30°C if loose covers. Drip drying. Shrinkage approx. 2% Mount in moist condition

Country of Origin: The Netherlands

Environment: Polyester used is made of 100% recycled post-consumer plastic bottles Reduced raw material by using waste as a resource Decreased CO2 footprint REACH compliant Follow the EU Ecolabel dye restrictions incl. AZO dye and heavy metal restrictions No use of halogen-based flame retardants (incl. brominated and chlorinated) No content of formaldehyde

No content of PFCs or 'PFAS'

REACH compliant





























HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT FEBRIK -PLANUM

Content: 44% New Wool, 42% Polyester, 14% Nylon

Application: Indoor upholstery

Durability: 100,000 Martindale

Lightfastness: 5-6 (ISO 1-8)

Pilling: 4 (ISO 1-5)

Maintenance: Do not bleach Professional dry cleaning with tetrachloroethylene, mild process

Country of Origin: Holland

Sustainability: Greenguard Gold HPD EPD







































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT FEBRIK -PLANUM

Content: 44% New Wool, 42% Polyester, 14% Nylon

Application: Indoor upholstery

Durability: 100,000 Martindale

Lightfastness: 5-6 (ISO 1-8)

Pilling: 4 (ISO 1-5)

Maintenance: Do not bleach Professional dry cleaning with tetrachloroethylene, mild process

Country of Origin: Holland

Sustainability: Greenguard Gold HPD EPD



COLOURS DISPLAYED DIGITALLY OR PRINTED MAY VARY. A SAMPLE SWATCH IS RECOMMENDED. ALL UPHOLSTERY MATERIAL WARRANTIES ARE BASED ON MANUFACTURER'S WARRANTY.



HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT -STEELCUT TRIO 3

Content: 90% new wool, 10% nylon


Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947


Lightfastness: Note 5-7 ISO 105-B02


Pilling: Note 4, EN ISO 12945


Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.


Country of Origin: UK







































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT -STEELCUT TRIO 3

Content: 90% new wool, 10% nylon

Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947


Lightfastness: Note 5-7 ISO 105-B02

Pilling: Note 4, EN ISO 12945

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: UK






































HOUSE FABRICS 5 — HF5 HF4 HF5 HF6 HF7

KVADRAT -STEELCUT TRIO 3

Content: 90% new wool, 10% nylon

Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 5-7 ISO 105-B02


Pilling: Note 4, EN ISO 12945

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: UK






































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT SAHCO - ZERO

Content: 65% cotton, 20% polyacrylic, 15% polyester

Abrasion: 70.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 5-6 ISO 105-B02

Pilling: Note 5, EN ISO 12945

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve waler based glue. Pay attention to temperature and amount of cleaning fluid.


Country of Origin: Belgium

Environment:
Follow the EU Eco label dye
restrictions incl. AZO dye
and heavy metal restrictions
No use of halogen based flame
retardants (incl. brominated
and chlorinated)
REACH compliant
Californian Proposition 65 list
wmpliant
LBC Red list compliant





































EXTENDED HOUSE FABRICS 5 — HF5 HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT SAHCO - ELLE

Content: 25% cotton, 20% polyacrylic, 20% wool, 20% viscose, 15% polyamide

Application: Indoor upholstery

Abrasion: 70,000 Martindale


Lightfastness: 6 (ISO 1-8)

Finish: None

Maintenance: Do not wash. Do not bleach. Do not tumble dry. Iron at low temperature (max. 110°C), steam may cause damage. Professional dry cleaning with tetrachloroethylene, mild process

Country of Origin: Italy

Environmental: Greenguard Gold


































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - SISU

Content: 91% Norwegian wool, 8% New Zealand wool, 1% nylon

Abrasion: Approx. 70.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 5-7 ISO 105-B02

Pilling: Note 3-4, EN ISO 12945


Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve waterbased glue. Pay attention to temperature and amount of cleaning fluid.

Country of Origin: Norway


Environment:
Follow the EU Ecolabel dye
restrictions incl. AZO dye and
heavy metal restrictions
No content of PFCs or 'PFAS'
REACH compliant
Californian Proposition 65 list
compliant
LBC Red list compliant
Healthier Hospitals compliant


































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT SACHO - SAFIRE

Content: 43% viscose 17% polyacrylic 15% new wool 9% cotton 8% polyester 8% linen

Application: Indoor upholstery

Durability: 40,000 Martindale

Lightfastness: 5-6 (ISO 1-8)

Pilling: 3 (ISO 1-5)

Maintenance: Do not bleach, or iron, only steam. Vacuuming and Professional dry cleaning with tetrachloroethylene, normal process

Country of Origin: Holland

Sustainability: Greenguard Gold HPD































EXTENDED HOUSE FABRICS 6 — HF6 HF7 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - MOSAIC 2

Content: 27% new wool, 9% nylon, 12% polyester, 6% elastane, 46%

Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947


Lightfastness: Note 5-7, ISO 105-B02

Pilling: Note 4-5, EN ISO 12945

Maintenance: Vacuuming clean gently, ideally every week. Washable at 30°C if loose covers. Flat drip drying

Country of Origin: The Netherlands

Environment:
REACH compliant
Follow the EU Ecolabel dye
restrictions incl. AZO dye
and heavy metal restrictions
No use of halogen-based flame
retardants (incl. brominated and
chlorinated)
No content of formaldehyde



































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - PHLOX

Content: 90% cotton, 10% polyester

Abrasion: Approx. 100.000 Martindale rubs, EN ISO 12947

Lightfastness: Note 5-7 ISO 105-B02

Pilling: Note 4, EN ISO 12945

Maintenance: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. No ironing only steaming. Steaming might be


necessary to remove pressure marks. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue.


Country of Origin: Italy

Environment:
Follow the EU Ecolabel dye
restrictions incl. AZO dye and
heavy metal
restrictions
No content of PFCs or 'PFAS'
REACH compliant
Californian Proposition 65 list
compliant
LBC Red list compliant

Healthier Hospitals compliant






































HF1 HF2 HF3 HF4 HF5 HF6 HF7

MAHARAM - HEARTH

Content: 32% Wool, 31% Acrylic, 30% Cotton, 7%

Polyester

Application: Indoor upholstery

Abrasion: 80,000 double rubs

Wyzenbeek

Lightfastness: AATCC 16E, 40+

hours

Finish: None

Maintenance: S-Clean with mild, water-free dry cleaning

solvent.

Country of Origin: Belgium

Environmental:


Greenguard and Greenguard Gold Certified

Healthier Hospitals Compliant LBC Red List Free

REACH Compliant

Contains Bio-Based Materials

FR Free PFAS-Free































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT - CODA 2

Content: 90% New wool, 10%

Nylon

Application: Indoor upholstery

Durability: 100,000 Martindale

Lightfastness: 6

Pilling: 4 (ISO 1-5)

Maintenance: Do not bleach, Vacuuming and Professional dry cleaning with tetrachloroethylene, normal process


Country of Origin: Norway

Sustainability: Greenguard Gold HPD EPD









































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT FEBRIK -GENTLE 2

Content: 60% New wool, 20% Nylon, 20% Polyester

Application: Indoor upholstery

Durability: 90,000 Martindale

Lightfastness: 6-7 (ISO 1-8)

Pilling: 4-5 (ISO 1-5)

Maintenance: Do not bleach, or iron, only steam. Vacuuming and Professional dry cleaning with tetrachloroethylene, normal process

Country of Origin: Holland

Sustainability: Greenguard Gold HPD EPD






































HF1 HF2 HF3 HF4 HF5 HF6 HF7

KVADRAT FEBRIK -GENTLE 2

Content: 60% New wool, 20% Nylon, 20% Polyester

Application: Indoor upholstery

Durability: 90,000 Martindale

Lightfastness: 6-7 (ISO 1-8)

Pilling: 4-5 (ISO 1-5)

Maintenance: Do not bleach, or iron, only steam. Vacuuming and Professional dry cleaning with tetrachloroethylene, normal process

Country of Origin: Holland

Sustainability: Greenguard Gold HPD EPD







